



MASSE

FORME UNIQUE POUR UNE POLYVALENCE ET DES PERFORMANCES EXCEPTIONNELLES.



Roughneck Gorilla Sledge Hammers feature a unique shape for outstanding versatility and performance. The domed striking point exerts concentrated force for more effective demolition, while the extra large striking face reduces misstrikes. Also features side striking faces for use on wooden fence posts. Drop forged from high carbon steel, with induction hardened striking faces for extreme strength and durability. Mounted on a compression fitted, solid fibreglass core handle with a shock absorbing grip for extreme strength and comfort.


- Dome-shaped point
- Extra large face
- 45° chamfered edges
- Fence post striking face x2
- Solid fibreglass core
- Compression fit handle
- Drop forged
- Lanyard hole
- Shock absorbing grip
- Induction hardened



POINTE EN FORME DE DÔME



FACE EXTRALARGE



0



TÊTE DE FRAPPE POUR POTEAUX DE CLÔTURE X2



BASE EN FIBRE DE VERRE SOLIDE



POIGNÉE MOULÉE PAR COMPRESSION



POIGNÉE AMORTISSANT LES CHOCS



ORIFICE POUR DRAGONNE



ACIER FORGÉ

PRODUCT OVERVIEW

CODE	DESCRIPTION	SIZE	WEIGHT	BARCODE	COMMODITY CODE
65-906	Sledge hammer	-	2.7kg/6lbs	0 025997 659062	82052000 00
65-908	Sledge hammer	-	3.6kg/8lbs	0 025997 659086	82052000 00
65-910	Sledge hammer	-	4.5kg/10lbs	0 025997 659109	82052000 00
65-912	Sledge hammer	-	5.5kg/12lbs	0 025997 659123	82052000 00

ADDITIONAL INFORMATION

DESCRIPTION
-



MASSE

FORME UNIQUE POUR UNE POLYVALENCE ET DES PERFORMANCES EXCEPTIONNELLES.



SINGLE ITEM DIMENSIONS

OT CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (g)
65-906	850.0	180.0	-	4010.0
65-908	850.0	199.0	-	4960.0
65-910	850.0	201.0	-	5860.0
65-912	850.0	218.0	-	6790.0

PACKAGED ITEM DIMENSIONS

OT CODE	LENGTH (mm)	WIDTH (mm)	HEIGHT (mm)	WEIGHT (g)
65-906	850.0	180.0	-	4010.0
65-908	850.0	199.0	-	4960.0
65-910	850.0	201.0	-	5860.0
65-912	850.0	218.0	-	6790.0

WASTE PACKAGING DETAILS

OT CODE	PAPER & CARD (g)	PLASTIC (g)	METAL (g)
65-906	-	-	-
65-908	-	-	-
65-910	-	-	-
65-912	-	-	-

INNER CARTON DIMENSIONS

OT CODE	LENGTH (mm)	WIDTH (mm)	DEPTH (mm)	NET WEIGHT (g)	GROSS WEIGHT (g)	PACK QTY
65-906	925.0	190.0	80.0	-	8.04	4
65-908	935.0	200.0	85.0	-	9.84	4
65-910	-	-	-	-	-	2
65-912	-	-	-	-	-	-

SHIPPING CARTON DIMENSIONS

OT CODE	LENGTH (mm)	WIDTH (mm)	DEPTH (mm)	NET WEIGHT (g)	GROSS WEIGHT (g)	CARTON QTY
65-906	935	200	185	16.2	17.15	4
65-908	945	210	190	19.7	20.65	4
65-910	950	215	100	11.48	12.05	2
65-912	-	-	-	-	-	-

PRODUCT SAFETY INFORMATION



SE PROTÉGER LES YEUX



SE PROTÉGER LES MAINS



SE PROTÉGER LES PIEDS



MASSE

FORME UNIQUE POUR UNE POLYVALENCE ET DES PERFORMANCES EXCEPTIONNELLES.



AVERTISSEMENT: DES BLESSURES OCULAIRES OU CORPORELLES GRAVES PEUVENT ÊTRE CAUSÉES PAR LA PROJECTION D'ÉCLATS OU DE FRAGMENTS. INSPECTER L'OUTIL AVANT UTILISATION. NE PAS UTILISER EN CAS DE SIGNES DE FISSURES, DE BRISURES, DE DÉFORMATION OU DE MANCHE DESSERRÉ OU ENDOMMAGÉ. FRAPPER DANS L'AXE EN ÉVITANT LES COUPS OBLIQUES.

GUARANTEE



This ROUGHNECK® product includes a 25-Year Guarantee. This covers faulty materials or manufacturing defects, excluding normal wear and tear, consumable parts or customer misuse. Damaged or faulty items can be returned to the place of purchase for replacement. This guarantee is in addition to and in no way prejudices the users statutory rights.